


Psychosocial Treatments for ARFID


Nancy Zucker
Duke University




Family Based Treatment: *Conceptual Issues*¹⁻³




Family Based Treatment: *Conceptual Issues*¹⁻³



Family Based Treatment: *Conceptual Issues*¹⁻³



Family Based Treatment: *Conceptual Issues*¹⁻³



Parent Support
Within Cognitive and
Behavioral
Treatments:
Conceptual Issues

**Fear vs. Disgust
Conditioning**

Early in exposure...



Late in Exposure






Caring for Vulnerable

Humiliation

Vomit, feces



References

1. Lock, J., Robinson, A., Sadeh-Sharvit, S., Rosania, K., Osipov, L., Kirz, N., . . . Utzinger, L. (2018). Applying family-based treatment (FBT) to three clinical presentations of avoidant/restrictive food intake disorder: Similarities and differences from FBT for anorexia nervosa. *Int J Eat Disord*. doi:10.1002/eat.22994
2. Thomas, J. J., Wons, O. B., & Eddy, K. T. (2018). Cognitive-behavioral treatment of avoidant/restrictive food intake disorder. *Curr Opin Psychiatry*, 31(6), 425-430. doi:10.1097/ycp.0000000000000454
3. Spettigue, W., Norris, M. L., Santos, A., & Obeid, N. (2018). Treatment of children and adolescents with avoidant/restrictive food intake disorder: a case series examining the feasibility of family therapy and adjunctive treatments. *J Eat Disord*, 6, 20. doi:10.1186/s40337-018-0205-3